

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented) An interactive operation supporting system for an apparatus, comprising a display unit, a speech input unit, a speech output unit and an operation control unit, wherein said operation control unit comprises:
 - an assistant control means for generating a personified assistant and making said assistant appear on a screen of said display unit;
 - an output speech control means for determining speech required for said assistant to output said assistant's speech to the outside through said speech output unit after speech synthesis;
 - an input speech recognition means for recognizing user's voice as a speech inputted through said speech input unit;
 - an interaction management means for managing interaction between said assistant and said user according to said assistant's speech determined by said output speech control means and said user speech recognized by said input speech recognition means;
 - an ambient state generating means for enabling said personified assistant to act as if urging the user to input commands using the input speech recognition means when the interactive operating system is placed in a wait state;
 - a connection means for connecting a television set/monitor to said system;

a command interpreting means for specifying a user's intention or specifying said inputted user command based on a content of interaction traced by said interaction management means; and

a command execution means for executing function commands, said function commands including a channel selection or channel change command,

wherein in response to said command interpreting means interpreting an inputted user command as a channel change command, said assistant control means places respective changeable broadcasting program display windows in the shape of a ring around said assistant, and a part of the ring has a gap with no broadcasting program display window, and a broadcasting program display window of a program on a temporarily selected channel is placed at the forefront of the ring,

wherein said output speech control means determines an assistant's speech based on a content of interaction managed by said interaction management means or an inputted user command specified by said command interpreting means, and

wherein said output speech control means determines an assistant's speech for leading a user's intention when said command interpreting means fails to specify said user's intention or said inputted user command.

2. (Original) The interactive operation supporting system according to claim 1, wherein said assistant control means determines an animation of said assistant based on a content of interaction managed by said interaction management means and/or an inputted user command specified by said command interpreting means.

3-4. (Canceled)

5. (Original) The interactive operation supporting system according to claim 1, further comprising

a connection means for connecting an external apparatus such as a television set/monitor and/or a video deck to said system, wherein said command interpreting means also interprets a command for controlling a function of said external apparatus including selection of a broadcast program channel and/or recording/reproducing of said broadcast program.

6. (Original) The interactive operation supporting system according to claim 1, further comprising:

a communication means for connecting said system to a communication medium such as an external network or a telephone line,

wherein said input speech recognition means recognizes audio data received via said communication medium.

7. (Original) The interactive operation supporting system according to claim 1, further comprising:

a communication means for connecting said system to a communication medium such as an external network and/or a telephone line; and

a mail exchange means for making an exchange of electronic mails via said communication medium,

wherein said output speech control means determines said assistant's speech based on a content of an incoming mail.

8. (Original) The interactive operation supporting system according to claim 1, wherein said interaction management means manages an input speech of a user as a message bound for another user, and said output speech control means determines said assistant's speech based on said message.

9. (Original) The interactive operation supporting system according to claim 1, wherein said assistant control means places said personified assistant in a room scattered with various kinds of objects including a link to an information resource.

10. (Original) The interactive operation supporting system according to claim 1, wherein said assistant control means places said personified assistant in a room scattered with various kinds of objects including a link to an information resource, and in response to an interest of said user in a recording medium including a link to a music content placed in said room, said command interpreting means interprets an inputted user command as a command for playing back said music content.

11. (Original) The interactive operation supporting system according to claim 1, wherein in response to said command interpreting means interpreting an inputted user command, said assistant control means makes said assistant appear on a screen of said display unit.

12. (Original) The interactive operation supporting system according to claim 1, further comprising

a connection means for connecting a television set/monitor to said system, and in response to said command interpreting means interpreting an inputted user command as a channel selection command, said assistant control means makes said assistant show a selected broadcasting program display window.

13. (Canceled)

14. (Previously Presented) The interactive operation supporting system according to claim 1, wherein, in response to selection of a desired channel by moving said display window on said ring upon a channel change command from said user and said assistant control means also zooms up said selected broadcasting program display window.

15. (Original) The interactive operation supporting system according to claim 1, further comprising:

a connection means for connecting a secondary storage device for storing and/or reproducing a broadcasting program content to said system,
wherein in response to said command interpreting means interpreting an inputted user command as a recorded program reproduction command, said assistant control means makes said assistant show a binder showing a view of recorded broadcasting program contents.

16. (Original) The interactive operation supporting system according to claim 15, wherein in response to a selection for reproducing a recorded broadcasting program content, said assistant control means zooms up said selected recorded broadcasting program content display window.

17-19. (Cancelled)

20. (Original) The interactive operation supporting system according to claim 1, further comprising:

a connection means for connecting a television set/monitor to said system;
a communication means for connecting said system to a communication medium such as an external network and/or a telephone line; and
a mail exchange means for making exchange of electronic mails via said communication medium,

wherein said assistant control means makes an incoming mail display image to appear on a screen of said display unit in response to acceptance of mail.

21. (Original) The interactive operation supporting system according to claim 1, further comprising:

a text conversion means for converting a Japanese ideogram Kanji related to text data displayed on a screen of said display unit into a corresponding phonetic character Kana.

22. (Original) The interactive operation supporting system according to claim 1, further comprising:

a communication means for connecting said system to a communication medium such as an external network or a telephone line; and
a certifying means for certifying an information terminal connected to said system via said communication medium.

23. (Original) The interactive operation supporting system according to claim 1, further comprising:

a connection means for connecting a television set/monitor to said system; and
an extraction means for extracting text information from a received broadcasting program content.

24. (Original) The interactive operation supporting system according to claim 23, wherein text information extracted by said extraction means is superimposed on a content of another broadcasting program on said screen.

25. (Previously Presented) A method for supporting interactive operation of an apparatus or other externally connected apparatus including a display unit, a speech input unit and a speech output unit, comprising:

an assistant control step for generating a personified assistant and making said generated assistant appear on a screen of said display unit;

an output speech control step for determining a speech required for the assistant to output the assistant's speech to the outside through said speech output unit after speech synthesis;

an input speech recognition step for recognizing a user's voice as a speech inputted through said speech input unit;

an interaction management step for managing interaction between said assistant and said user according to said assistant's speech determined by said output speech control step and said user speech recognized by said input speech recognition step;

an ambient state generating step for enabling said personified assistant to act as if urging the user to input commands using the input speech recognition step when the interactive operating system is placed in a wait state;

a command interpreting step for specifying said user's intention or specifying said inputted user command based on a content of interaction traced by said interaction management step;

a connecting step for connecting a television set/monitor to said apparatus;

a command executing step for executing function commands, said function commands including a channel selection or channel change command;

a first determining step for determining an assistant's speech based on the content of interaction managed by said interaction management step or an inputted user command specified by said command interpreting step;

a second determining step for determining an assistant's speech for leading a user's intention when said command interpreting step fails to specify said user's intention or said inputted user command; and

a positioning step for, in response to interpreting an inputted user command as a channel change command by the command interpreting step, placing respective changeable broadcasting program display windows in the shape of a ring around said assistant, and placing a gap with no broadcasting program display window as a part of the ring, and a placing broadcasting program display window of a program on a temporarily selected channel at the forefront of the ring.

26. (Original) The method for supporting interactive operation according to claim 25, wherein said assistant control step determines an animation of said assistant based on a content of interaction managed by said interaction management step and/or an inputted user command specified by said command interpreting step.

27-28. (Canceled)

29. (Original) The method for supporting interactive operation according to claim 25, wherein said apparatus further includes a connection means for connecting an external apparatus such as a television set/monitor and/or a video deck to said apparatus, and said command interpreting step also interprets commands for controlling a function of said external apparatus including selection of a broadcast program and/or recording/reproducing of said broadcast program.

30. (Original) The method for supporting interactive operation according to claim 25, wherein said apparatus further includes a communication means for connecting said apparatus to

a communication medium such as an external network and/or a telephone line, and said input speech recognition step recognizes audio data received via said communication medium.

31. (Original) The method for supporting interactive operation according to claim 25, wherein said apparatus further includes a communication means for connecting said apparatus to a communication medium such as an external network and/or a telephone line, and a mail exchange means for making an exchange of electronic mails via said communication medium, said output speech control step determining said assistant's speech based on a content of an incoming mail.

32. (Original) The method for supporting interactive operation according to claim 25, wherein said interaction management step manages an input speech of a user as a message bound for another user, and said output speech control step determines said assistant's speech based on said message.

33. (Original) The method for supporting interactive operation according to claim 25, wherein said assistant control step places said personified assistant in a room scattered with various kinds of objects including a link to an information resource.

34. (Original) The method for supporting interactive operation according to claim 25, wherein said assistant control step places said personified assistant in a room scattered with various kinds of objects including a link to an information resource, and in response an interest of said user in a recording medium including a link to a music content placed in said room, said

command interpreting step interprets an inputted command as a command for playing back said music content.

35. (Original) The method for supporting interactive operation according to claim 25, wherein in response to said command interpreting step interpreting an inputted user command, said assistant control step makes said assistant appear on a screen of said display unit.

36. (Original) The method for supporting interactive operation according to claim 25, wherein said apparatus further includes a connection means for connecting a television set/monitor to said apparatus, and in response to said command interpreting step interpreting an inputted user command as a channel select command, said assistant control step makes said assistant show a selected broadcasting program display window.

37. (Canceled)

38. (Previously Presented) The method for supporting interactive operation according to claim 25, wherein, in response to selection of a desired channel by moving said display window on said ring upon a channel change command from said user and said assistant control step also zooms up said selected broadcasting program display window.

39. (Original) The method for supporting interactive operation according to claim 25, wherein said apparatus further includes a connection means for connecting a secondary storage device for storing and/or reproducing a broadcasting program content to said apparatus, and in

response to said command interpreting step interpreting an inputted user command as a recorded program reproduction command, said assistant control step makes said assistant show a binder showing a view of recorded broadcasting program contents.

40. (Original) The method for supporting interactive operation according to claim 39, wherein in response to a selection for reproducing a recorded broadcasting program content, said assistant control step zooms up said selected recorded broadcasting program content display window.

41-43. (Cancelled)

44. (Original) The method for supporting interactive operation according to claim 25, wherein said apparatus further includes:

a connection means for connecting a television set/monitor to said apparatus, a communication means for connecting said apparatus to a communication medium such as an external network and/or a telephone line, and a mail exchange means for making exchange of electronic mails via said communication medium, and said assistant control step makes an incoming mail display image to appear on a screen of said display unit in response to acceptance of mail.

45. (Original) The method for supporting interactive operation according to claim 25, further comprising:

a text conversion step for converting a Japanese ideogram Kanji related to text data displayed on a screen of said display unit into a corresponding phonetic character Kana.

46. (Original) The method for supporting interactive operation according to claim 25, further comprising:

a communication step for connecting said apparatus to a communication medium such as an external network or a telephone line; and

a certifying step for certifying an information terminal connected to said apparatus via said communication medium.

47. (Original) The method for supporting interactive operation according to claim 25, wherein said apparatus further includes:

a connection means for connecting a television set/monitor to said apparatus; and
an extraction step for extracting text information from a received broadcasting program content.

48. (Original) The method for supporting interactive operation according to claim 47, wherein text information extracted by said extraction step is superimposed on a content of another broadcasting program on said screen.

49. (Cancelled)

50. (Original) The interactive operation supporting system according to claim 1, further comprising:

a code conversion means for converting a character related to text data according to a group or system of characters or codes displayed on said display unit into a corresponding character of another group or system of characters or codes.

51. (Original) The method for supporting interactive operation according to claim 25, further comprising:

a code conversion step for converting a character related to text data according to a group or system of characters or codes displayed on said display unit into a corresponding character of another group or system of characters or codes.

52. (Previously Presented) The interactive operation supporting system according to claim 1, wherein said motions or said act includes a leading question.

53. (Original) The interactive operation supporting system according to claim 1, wherein said ambient state generating means enables said personified assistant to enter said wait state with words and/or utterances encouraging a response from said user.

54. (Original) The interactive operation supporting system according to claim 53, wherein said words and/or utterances encouraging a response include the words “Ah” and “Well.”

55. (Original) The interactive operation supporting system according to claim 1, wherein said ambient state generating means enables said personified assistant to enter said wait state with gestures encouraging a response from said user.